SAFETY DATA SHEET

1. Identification

Product identifier	Futura CT 3000 Trowelable	Ceramic Coat -	Hardener/Side B
Other means of identification SKU#	MI060H		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	ITW Engineered Polymers 130 Commerce Drive Montgomeryville, PA 18936 United States		
Telephone	Customer Service	215-855-8450	
Website	www.itwengineeredpolymers	.com	
E-mail	orders.na@itwep.com		
Contact person Emergency phone number	EHS Department CHEMTREC	800-424-9300	
Emergency phone number	International	703-527-3887	
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 4
	Acute toxicity, dermal		Category 4
	Acute toxicity, inhalation		Category 4
	Skin corrosion/irritation		Category 2
	Serious eye damage/eye irrit	ation	Category 1
	Sensitization, skin		Category 1
Environmental hazards	Hazardous to the aquatic en hazard	vironment, acute	Category 2
	Hazardous to the aquatic en long-term hazard	vironment,	Category 2
OSHA defined hazards	Not classified.		

OSHA defined hazards

Label elements



Signal word	Danger
Hazard statement	Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. Toxic to aquatic life with long lasting effects.

Precautionary statement Prevention

Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves/protective clothing.

Response	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	58% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. 33% of the mixture consists of component(s) of unknown acute oral toxicity. 66% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
1,3-Benzenedimethanamine		1477-55-0	10 - 30
Benzyl Alcohol		100-51-6	10 - 30
Titanium Dioxide		13463-67-7	1 - 5
TRIETHYLENETETRAMINE		112-24-3	1 - 5
Other components below reportab	le levels		> 30

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Foam. Powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for	Prevent product from entering drains.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not get this material in contact with eyes. Do not taste or swallow. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Titanium Dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. ACGIH Threshold Limit	t Values		
Components	Туре	Value	
1,3-Benzenedimethanamin e (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide to	o Chemical Hazards		
Components	Туре	Value	
1,3-Benzenedimethanamin e (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
US. Workplace Environmer	ntal Exposure Level (WEEL) Guides		
Components	Туре	Value	
Benzyl Alcohol (CAS 100-51-6)	TWA	44.2 mg/m3	
		10 ppm	
TRIETHYLENETETRAMIN E (CAS 112-24-3)	TWA	6 mg/m3	
· · · ·		1 ppm	
logical limit values	No biological exposure limits noted for the	ingredient(s).	
osure guidelines	Occupational Exposure Limits are not relev	vant to the current physic	al form of the product.
osure guidelines US - California OELs: Skin		vant to the current physic	al form of the p
1 2 Bonzonodimothanan	•	corbod through the skin	

1,3-Benzenedimethanamine (CAS 1477-55-0)

Can be absorbed through the skin.

US - Tennessee OELs: Sk	in designation	
	mine (CAS 1477-55-0) it Values: Skin designation	Can be absorbed through the skin.
1,3-Benzenedimethana	umine (CAS 1477-55-0) o Chemical Hazards: Skin d	Can be absorbed through the skin. esignation
1,3-Benzenedimethana US WEEL Guides: Skin de	umine (CAS 1477-55-0) esignation	Can be absorbed through the skin.
TRIETHYLENETETRA	MINE (CAS 112-24-3)	Can be absorbed through the skin.
Appropriate engineering controls	should be matched to cor or other engineering conti exposure limits have not b	(typically 10 air changes per hour) should be used. Ventilation rates aditions. If applicable, use process enclosures, local exhaust ventilation, rols to maintain airborne levels below recommended exposure limits. If been established, maintain airborne levels to an acceptable level. Eye ency shower must be available when handling this product.
Individual protection measure	s, such as personal protect	ive equipment
Eye/face protection	Wear safety glasses with recommended.	side shields (or goggles) and a face shield. Face shield is
Skin protection		
Hand protection	Wear appropriate chemic	al resistant gloves.
Other	Wear appropriate chemic	al resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal	I protective clothing, when necessary.
General hygiene considerations	washing after handling the	I drink. Always observe good personal hygiene measures, such as e material and before eating, drinking, and/or smoking. Routinely wash we equipment to remove contaminants. Contaminated work clothing t of the workplace.

9. Physical and chemical properties

Appearance	Putty
Physical state	Not available.
Form	Paste.
Color	White
Odor	Slight. Ammoniacal.
Odor threshold	Not available.
рН	10.5 - 11.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 400 °F (> 204.44 °C)
Flash point	> 200.0 °F (> 93.3 °C)
Evaporation rate	> 1 BuAc
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 1 mm Hg
Vapor density	> 1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.

Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.74 lb/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	1.05

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled.
Skin contact	Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Information on toxicological effe	ects
Acute toxicity	Harmful if inhaled. Harmful in contact with skin. Harmful if swallowed.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	l
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall E	Evaluation of Carcinogenicity
Titanium Dioxide (CAS 13	
	d Substances (29 CFR 1910.1001-1050)
Not regulated. US. National Toxicology Pro	gram (NTP) Report on Carcinogens
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.

12. Ecological information

Ecotoxicity	Toxic to aquatic life with long lasting effects.		
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential			
Partition coefficient n-octa	nol / water (log Kow)		
Benzyl Alcohol	1.1		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	
UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s, or Polyamines, liquid, corrosive, n.o.s. (Aliphatic amine)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging non bulk	203
Packaging bulk	241
ΙΑΤΑ	
UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s, or Polyamines, liquid, corrosive, n.o.s. (Aliphatic amine)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	
Environmental hazards	No.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
IMDG	
UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s, or Polyamines, liquid, corrosive, n.o.s. (Aliphatic amine)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	
Environmental hazards	
Marine pollutant	No.
•	

EmS

Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. **Insport in bulk according to** Not established. Not applicable.

Special precautions for use Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code DOT

CORROSIVE

IATA; IMDG



15. Regulatory information

US federal regulations TSCA Section 12(b) This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

Hazard categories

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List
Not regulated.
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.
Safe Drinking Water Act Not regulated.
(SDWA)

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Titanium Dioxide (CAS 13463-67-7)

Listed: September 2, 2011

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Titanium Dioxide (CAS 13463-67-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	09-04-2013
Revision date	01-16-2017
Version #	02
HMIS® ratings	Health: 3 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 1 Instability: 0
Disclaimer	ITW Engineered Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.